

Journal Pre-proof

Palliative Care in the time of COVID-19: Reflections from the frontline

Dr. Mervyn Koh YH, MRCP, FAMS

PII: S0885-3924(20)30174-3

DOI: <https://doi.org/10.1016/j.jpainsymman.2020.03.023>

Reference: JPS 10423

To appear in: *Journal of Pain and Symptom Management*

Received Date: 21 March 2020

Revised Date: 21 March 2020

Accepted Date: 23 March 2020

Please cite this article as: Koh YH M, Palliative Care in the time of COVID-19: Reflections from the frontline, *Journal of Pain and Symptom Management* (2020), doi: <https://doi.org/10.1016/j.jpainsymman.2020.03.023>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2020 American Academy of Hospice and Palliative Medicine. Published by Elsevier Inc. All rights reserved.



Dr Mervyn Koh YH
Senior Consultant
Department of Palliative Medicine
Tan Tock Seng Hospital
11, Jalan Tan Tock Seng
Singapore 308433
Phone: +65 81263208
Email: mervyn_koh@ttsh.com.sg

Palliative Care in the time of COVID-19: Reflections from the frontline

1. Dr Mervyn Koh YH
MRCP, FAMS

To the Editor:

Palliative Care in the time of COVID-19: Reflections from the frontline

When our palliative care unit was closed to make room for COVID-19 patients, we were prepared. The virus had made its way to our shores in Singapore by January 23, 2020 (1). At the initial stages, Singapore, being the hyper-connected city that it is, was the country with the most confirmed COVID-19 cases outside of China (2). We are part of a large general hospital of 1800 beds with a 13-Bed Acute Palliative Care Unit and a busy inpatient referral and outpatient service. We are also situated next to the National Centre of Infectious Diseases where the majority of COVID-19 positive or suspected patients were housed. Consequently, clinicians from our palliative care team were deployed to help 'fight' in this nation-wide healthcare crisis.

Our Palliative Care Attending Physicians volunteered to go into the COVID-19 wards together with senior physicians from the rest of the hospital to help with the mounting patient numbers. Our Chief Advance Practice Nurse (APN) was sent to the 'frontline' Virus Screening Centre and we lost another APN to the ICU where she used to be from. We had to familiarize ourselves with the donning and removing of PPE (Personal Protective Equipment), gowns, goggles and gloves became the byword rather than morphine and fentanyl. We went back to being general internal medicine physicians, infectious disease and ICU nurses.

Amongst other things, we lost our palliative care unit. Many of our palliative care nurses in the unit lamented a loss of their identity, their specialized roles and commented on how they 'missed taking care of palliative care patients', vacation leave was also sacrificed in the call for solidarity and to help 'man' the ever-expanding COVID-19 wards. Our art and music therapist could no longer come into hospital to work.

There was also the fear of catching the virus while at work, and passing it to colleagues. Or worse, bringing it home to family. While there was strong government and public support for healthcare workers, the public were still afraid of coming too close to us. Some of us excused ourselves knowingly from family or social gatherings.

Perhaps the isolation was the worst. We couldn't hold large group meetings anymore, and the usual staple of 'multi-disciplinary rounds' and 'journal clubs' which we took so much for granted had to be replaced by virtual meetings. Those who were in the 'dirty' wards usually isolated themselves from the rest of the team and often ate alone. So much of palliative care is about the camaraderie of being together as a team, these regular routines of team meeting provided the peer support which invariably strengthens us from burnout and builds resilience (3).

However, it was the patients infected with the COVID-19 virus who suffered the most. They struggled with questions such as 'How did I get it?' and 'Is this going to get worse' or 'Am I going to the ICU like the other person' and even 'Will I die from this?'. These fears and questions are no different from our palliative care patients who suffer and experience these same feelings and emotions. The families suffered along with them. Often anxious, worried and burdened and because of the 'No visitor policy' in the hospital for this group of patients, they could only contact their loved ones online or on the phone. Many cried in the loneliness of their rooms.

Many of the patients did recover, and this disease certainly does not qualify as a 'life-limiting illness' for many. But the principles of holistic care which palliative care embodies so well (4) still apply. For instance, empowering our clinicians to manage physical symptoms, spending time on the phone (through a stained glass window) to care for their psychological needs, and comforting and encouraging these patients. For those of us who had to move from our usual line of work in palliative care into the frontlines of fighting this epidemic, the echoes of the words of Sheila Cassidy (5) rings clear and true – that we in palliative care are here, walking 'through the darkness' with you.

References

1. Coronavirus disease 2019: Cases in Singapore. A timeline of the confirmed cases in Singapore <https://www.gov.sg/article/covid-19-cases-in-singapore>
2. COVID-19 infections: Singapore emerges as most infected country outside of China. <https://www.theonlinecitizen.com/2020/02/14/covid-19-infections-singapore-emerges-as-most-infected-country-outside-of-china/>
3. Koh MYH, Hum AYM, Khoo HS. Burnout and Resilience After a Decade in Palliative Care: What Survivors Have to Teach Us. A Qualitative Study of Palliative Care Clinicians With More Than 10 Years of Experience. *J Pain Symptom Manage*. 2020 Jan;59(1):105-115.
4. WHO Definition of Palliative Care. <https://www.who.int/cancer/palliative/definition/en/>
5. Cassidy S. *Sharing the darkness. The spirituality of caring*. 1992. Orbis Books